

Package ‘rpart’

March 4, 2012

Priority recommended

Version 3.1-52

Date 2012-03-04

DateNote March 2002 version of rpart

Author Terry M Therneau and Beth Atkinson <atkinson@mayo.edu>. R port by Brian Ripley. Note that maintainers are not available to give advice on using a package they did not author.

Maintainer Brian Ripley <ripley@stats.ox.ac.uk>

Description Recursive partitioning and regression trees

Title Recursive Partitioning

Depends R (>= 2.14.0), graphics, stats, grDevices

Suggests survival

License GPL-2 | GPL-3

LazyLoad yes

LazyData yes

URL <http://mayoresearch.mayo.edu/mayo/research/biostat/splusfunctions.cfm>

Repository CRAN

Date/Publication 2012-03-04 13:59:47

R topics documented:

car.test.frame	2
cu.summary	3
kyphosis	4
labels.rpart	5
meanvar.rpart	6
na.rpart	7
path.rpart	7
plot.rpart	9
plotcp	10
post.rpart	11
predict.rpart	12
print.rpart	14
printcp	15
prune.rpart	16
residuals.rpart	17
rpart	18
rpart.control	20
rpart.object	21
rpconvert	22
rsq.rpart	23
snip.rpart	24
solder	25
summary.rpart	26
text.rpart	27
xpred.rpart	28
Index	30

car.test.frame	<i>Automobile Data from 'Consumer Reports' 1990</i>
----------------	---

Description

The `car.test.frame` data frame has 60 rows and 8 columns, giving data on makes of cars taken from the April, 1990 issue of *Consumer Reports*. This is part of a larger dataset, some columns of which are given in [cu.summary](#).

Usage

```
car.test.frame
```

Format

This data frame contains the following columns:

Price a numeric vector giving the list price in US dollars of a standard model

Country of origin, a factor with levels France Germany Japan Japan/USA Korea Mexico Sweden
USA

Reliability a numeric vector coded 1 to 5.

Mileage fuel consumption miles per US gallon, as tested.

Type a factor with levels Compact Large Medium Small Sporty Van

Weight kerb weight in pounds.

Disp. the engine capacity (displacement) in litres.

HP the net horsepower of the vehicle.

Source

Consumer Reports, April, 1990, pp. 235–288 quoted in

John M. Chambers and Trevor J. Hastie eds. (1992) *Statistical Models in S*, Wadsworth and Brooks/Cole, Pacific Grove, CA 1992, pp. 46–47.

See Also

[cu.summary](#)

Examples

```
z.auto <- rpart(Mileage ~ Weight, car.test.frame)
summary(z.auto)
```

cu.summary

Automobile Data from 'Consumer Reports' 1990

Description

The cu.summary data frame has 117 rows and 5 columns, giving data on makes of cars taken from the April, 1990 issue of *Consumer Reports*.

Usage

```
cu.summary
```

Format

This data frame contains the following columns:

Price a numeric vector giving the list price in US dollars of a standard model

Country of origin, a factor with levels Brazil England France Germany Japan Japan/USA Korea Mexico Sweden USA

Reliability an ordered factor with levels Much worse < worse < average < better < Much better

Mileage fuel consumption miles per US gallon, as tested.

Type a factor with levels Compact Large Medium Small Sporty Van

Source

Consumer Reports, April, 1990, pp. 235–288 quoted in

John M. Chambers and Trevor J. Hastie eds. (1992) *Statistical Models in S*, Wadsworth and Brooks/Cole, Pacific Grove, CA 1992, pp. 46–47.

See Also

[car.test.frame](#)

Examples

```
fit <- rpart(Price ~ Mileage + Type + Country, cu.summary)
plot(fit, compress=TRUE)
text(fit, use.n=TRUE)
```

kyphosis

Data on Children who have had Corrective Spinal Surgery

Description

The `kyphosis` data frame has 81 rows and 4 columns, representing data on children who have had corrective spinal surgery

Usage

```
kyphosis
```

Format

This data frame contains the following columns:

Kyphosis a factor with levels absent present indicating if a kyphosis (a type of deformation) was present after the operation.

Age in months

Number the number of vertebrae involved

Start the number of the first (topmost) vertebra operated on.

Source

John M. Chambers and Trevor J. Hastie eds. (1992) *Statistical Models in S*, Wadsworth and Brooks/Cole, Pacific Grove, CA 1992.

Examples

```
fit <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis)
fit2 <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis,
             parms=list(prior=c(.65,.35), split='information'))
fit3 <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis,
             control=rpart.control(cp=.05))
par(mfrow=c(1,2))
plot(fit)
text(fit, use.n=TRUE)
plot(fit2)
text(fit2, use.n=TRUE)
```

 labels.rpart

Create Split Labels For an Rpart Object

Description

This function provides labels for the branches of an rpart tree.

Usage

```
## S3 method for class 'rpart'
labels(object, digits=4, minlength=1L, pretty, collapse=TRUE, ...)
```

Arguments

object	fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.
digits	the number of digits to be used for numeric values. All of the rpart functions that call labels explicitly set this value, with options("digits") as the default.
minlength	the minimum length for abbreviation of character or factor variables. If 0 no abbreviation is done; if 1 then single letters are used with "a" for the first level, "b" for the second and so on. If the value is greater than 1, the abbreviate function is used.
pretty	an argument included for backwards compatibility: pretty=0 implies minlength=0, pretty=NULL implies minlength=1, and pretty=TRUE implies minlength=4.
collapse	logical. The returned set of labels is always of the same length as the number of nodes in the tree. If collapse=TRUE (default), the returned value is a vector of labels for the branch leading into each node, with "root" as the label for the top node. If FALSE, the returned value is a two column matrix of labels for the left and right branches leading out from each node, with "leaf" as the branch labels for terminal nodes.

... optional arguments to abbreviate.

Value

Vector of split labels (collapse=TRUE) or matrix of left and right splits (collapse=FALSE) for the supplied rpart object. This function is called by printing methods for rpart and is not intended to be called directly by the users.

See Also

[abbreviate](#)

meanvar.rpart

Mean-Variance Plot for an Rpart Object

Description

Creates a plot on the current graphics device of the deviance of the node divided by the number of observations at the node. Also returns the node number.

Usage

```
meanvar(tree, ...)
```

```
## S3 method for class 'rpart'
```

```
meanvar(tree, xlab="ave(y)", ylab="ave(deviance)", ...)
```

Arguments

tree	fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.
xlab	x-axis label for the plot.
ylab	y-axis label for the plot.
...	additional graphical parameters may be supplied as arguments to this function.

Value

an invisible list containing the following vectors is returned.

x	fitted value at terminal nodes (yval).
y	deviance of node divided by number of observations at node.
label	node number.

Side Effects

a plot is put on the current graphics device.

See Also

[plot.rpart.](#)

Examples

```
z.auto <- rpart(Mileage ~ Weight, car.test.frame)
meanvar(z.auto, log='xy')
```

na.rpart

Handles Missing Values in an Rpart Object

Description

Handles missing values in an rpart object.

Usage

```
na.rpart(x)
```

Arguments

x a model frame.

Details

Internal function that handles missing values when calling the function rpart.

path.rpart

Follow Paths to Selected Nodes of an Rpart Object

Description

Returns a names list where each element contains the splits on the path from the root to the selected nodes.

Usage

```
path.rpart(tree, nodes, pretty=0, print.it=TRUE)
```

Arguments

tree	fitted model object of class <code>rpart</code> . This is assumed to be the result of some function that produces an object with the same named components as that returned by the <code>rpart</code> function.
nodes	an integer vector containing indices (node numbers) of all nodes for which paths are desired. If missing, user selects nodes as described below.
pretty	an integer denoting the extent to which factor levels in split labels will be abbreviated. A value of (0) signifies no abbreviation. A NULL, the default, signifies using elements of letters to represent the different factor levels.
print.it	Logical. Denotes whether paths will be printed out as nodes are interactively selected. Irrelevant if nodes argument is supplied.

Details

The function has a required argument as an `rpart` object and a list of nodes as optional arguments. Omitting a list of nodes will cause the function to wait for the user to select nodes from the dendrogram. It will return a list, with one component for each node specified or selected. The component contains the sequence of splits leading to that node. In the graphical interaction, the individual paths are printed out as nodes are selected.

Value

A named (by node) list, each element of which contains all the splits on the path from the root to the specified or selected nodes.

Graphical Interaction

A dendrogram of the `rpart` object is expected to be visible on the graphics device, and a graphics input device (e.g. a mouse) is required. Clicking (the selection button) on a node selects that node. This process may be repeated any number of times. Clicking the exit button will stop the selection process and return the list of paths.

References

This function was modified from `path.tree` in S.

See Also

[rpart](#)

Examples

```
fit <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis)
summary(fit)
path.rpart(fit, node=c(11, 22))
```

plot.rpart *Plot an Rpart Object*

Description

Plots an rpart object on the current graphics device.

Usage

```
## S3 method for class 'rpart'
plot(x, uniform=FALSE, branch=1, compress=FALSE, nspace,
      margin=0, minbranch=.3, ...)
```

Arguments

x	a fitted object of class rpart, containing a classification, regression, or rate tree.
uniform	if TRUE, uniform vertical spacing of the nodes is used; this may be less cluttered when fitting a large plot onto a page. The default is to use a non-uniform spacing proportional to the error in the fit.
branch	controls the shape of the branches from parent to child node. Any number from 0 to 1 is allowed. A value of 1 gives square shouldered branches, a value of 0 give V shaped branches, with other values being intermediate.
compress	if FALSE, the leaf nodes will be at the horizontal plot coordinates of 1:nleaves. If TRUE, the routine attempts a more compact arrangement of the tree. The compaction algorithm assumes uniform=TRUE; surprisingly, the result is usually an improvement even when that is not the case.
nspace	the amount of extra space between a node with children and a leaf, as compared to the minimal space between leaves. Applies to compressed trees only. The default is the value of branch.
margin	an extra fraction of white space to leave around the borders of the tree. (Long labels sometimes get cut off by the default computation).
minbranch	set the minimum length for a branch to minbranch times the average branch length. This parameter is ignored if uniform=TRUE. Sometimes a split will give very little improvement, or even (in the classification case) no improvement at all. A tree with branch lengths strictly proportional to improvement leaves no room to squeeze in node labels.
...	arguments to be passed to or from other methods.

Details

This function is a method for the generic function plot, for objects of class rpart. The y-coordinate of the top node of the tree will always be 1.

Value

The coordinates of the nodes are returned as a list, with components x and y.

Side Effects

An unlabeled plot is produced on the current graphics device.

See Also

[rpart](#), [text.rpart](#)

Examples

```
fit <- rpart(Price ~ Mileage + Type + Country, cu.summary)
plot(fit, compress=TRUE)
text(fit, use.n=TRUE)
```

plotcp

Plot a Complexity Parameter Table for an Rpart Fit

Description

Gives a visual representation of the cross-validation results in an `rpart` object.

Usage

```
plotcp(x, minline = TRUE, lty = 3, col = 1,
       upper = c("size", "splits", "none"), ...)
```

Arguments

<code>x</code>	an object of class <code>rpart</code>
<code>minline</code>	whether a horizontal line is drawn 1SE above the minimum of the curve.
<code>lty</code>	line type for this line
<code>col</code>	colour for this line
<code>upper</code>	what is plotted on the top axis: the size of the tree (the number of leaves), the number of splits or nothing.
<code>...</code>	additional plotting parameters

Details

The set of possible cost-complexity prunings of a tree from a nested set. For the geometric means of the intervals of values of `cp` for which a pruning is optimal, a cross-validation has (usually) been done in the initial construction by [rpart](#). The `cptable` in the fit contains the mean and standard deviation of the errors in the cross-validated prediction against each of the geometric means, and these are plotted by this function. A good choice of `cp` for pruning is often the leftmost value for which the mean lies below the horizontal line.

Value

None.

Side Effects

A plot is produced on the current graphical device.

See Also

[rpart](#), [printcp](#), [rpart.object](#)

 post.rpart

PostScript Presentation Plot of an Rpart Object

Description

Generates a PostScript presentation plot of an rpart object.

Usage

```
post(tree, ...)

## S3 method for class 'rpart'
post(tree, title.,
      filename = paste(deparse(substitute(tree)), ".ps", sep = ""),
      digits = getOption("digits") - 3, pretty = TRUE,
      use.n = TRUE, horizontal = TRUE, ...)
```

Arguments

tree	fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.
title.	a title which appears at the top of the plot. By default, the name of the rpart endpoint is printed out.
filename	ASCII file to contain the output. By default, the name of the file is the name of the object given by rpart (with the suffix .ps added). If filename = "", the plot appears on the current graphical device.
digits	number of significant digits to include in numerical data.
pretty	an integer denoting the extent to which factor levels will be abbreviated in the character strings defining the splits; (0) signifies no abbreviation of levels. A NULL signifies using elements of letters to represent the different factor levels. The default (TRUE) indicates the maximum possible abbreviation.
use.n	Logical. If TRUE (default), adds to label (\#events level1/\#events level2/etc. for method class, n for method anova, and \#events/n for methods poisson and exp).
horizontal	Logical. If TRUE (default), plot is horizontal. If FALSE, plot appears as landscape.
...	other arguments to the postscript function.

Details

The plot created uses the functions `plot.rpart` and `text.rpart` (with the fancy option). The settings were chosen because they looked good to us, but other options may be better, depending on the `rpart` object. Users are encouraged to write their own function containing favorite options.

Side Effects

a plot of `rpart` is created using the postscript driver, or the current device if `filename = ""`.

See Also

[plot.rpart](#), [rpart](#), [text.rpart](#), [abbreviate](#)

Examples

```
z.auto <- rpart(Mileage ~ Weight, car.test.frame)
post(z.auto, file = "") # display tree on active device
# now construct postscript version on file "pretty.ps"
# with no title
post(z.auto, file = "pretty.ps", title = " ")
z.hp <- rpart(Mileage ~ Weight + HP, car.test.frame)
post(z.hp)
```

predict.rpart

Predictions from a Fitted Rpart Object

Description

Returns a vector of predicted responses from a fitted `rpart` object.

Usage

```
## S3 method for class 'rpart'
predict(object, newdata = list(),
        type = c("vector", "prob", "class", "matrix"),
        na.action = na.pass, ...)
```

Arguments

<code>object</code>	fitted model object of class <code>rpart</code> . This is assumed to be the result of some function that produces an object with the same named components as that returned by the <code>rpart</code> function.
<code>newdata</code>	data frame containing the values at which predictions are required. The predictors referred to in the right side of <code>formula(object)</code> must be present by name in <code>newdata</code> . If missing, the fitted values are returned.

type	character string denoting the type of predicted value returned. If the rpart object is a classification tree, then the default is to return prob predictions, a matrix whose columns are the probability of the first, second, etc. class. (This agrees with the default behavior of <code>tree</code>). Otherwise, a vector result is returned.
na.action	a function to determine what should be done with missing values in newdata. The default is to pass them down the tree using surrogates in the way selected when the model was built. Other possibilities are <code>na.omit</code> and <code>na.fail</code> .
...	further arguments passed to or from other methods.

Details

This function is a method for the generic function `predict` for class `rpart`. It can be invoked by calling `predict` for an object of the appropriate class, or directly by calling `predict.rpart` regardless of the class of the object.

Value

A new object is obtained by dropping `newdata` down the object. For factor predictors, if an observation contains a level not used to grow the tree, it is left at the deepest possible node and `frame$yval` at the node is the prediction.

If `type="vector"`:

vector of predicted responses. For regression trees this is the mean response at the node, for Poisson trees it is the estimated response rate, and for classification trees it is the predicted class (as a number).

If `type="prob"`:

(for a classification tree) a matrix of class probabilities.

If `type="matrix"`:

a matrix of the full responses (`frame$yval2` if this exists, otherwise `frame$yval`). For regression trees, this is the mean response, for Poisson trees it is the response rate and the number of events at that node in the fitted tree, and for classification trees it is the concatenation of the predicted class, the class counts at that node in the fitted tree, and the class probabilities.

If `type="class"`:

(for a classification tree) a factor of classifications based on the responses.

See Also

[predict](#), [rpart.object](#)

Examples

```
z.auto <- rpart(Mileage ~ Weight, car.test.frame)
predict(z.auto)

fit <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis)
predict(fit, type="prob") # class probabilities (default)
predict(fit, type="vector") # level numbers
predict(fit, type="class") # factor
predict(fit, type="matrix") # level number, class frequencies, probabilities
```

```
sub <- c(sample(1:50, 25), sample(51:100, 25), sample(101:150, 25))
fit <- rpart(Species ~ ., data=iris, subset=sub)
fit
table(predict(fit, iris[-sub,], type="class"), iris[-sub, "Species"])
```

print.rpart

Print an Rpart Object

Description

This function prints an rpart object. It is a method for the generic function print of class rpart.

Usage

```
## S3 method for class 'rpart'
print(x, minlength=0, spaces=2, cp, digits= getOption("digits"), ...)
```

Arguments

x	fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.
minlength	Controls the abbreviation of labels: see labels.rpart .
spaces	the number of spaces to indent nodes of increasing depth.
digits	the number of digits of numbers to print.
cp	prune all nodes with a complexity less than cp from the printout. Ignored if unspecified.
...	arguments to be passed to or from other methods.

Details

This function is a method for the generic function print for class "rpart". It can be invoked by calling print for an object of the appropriate class, or directly by calling print.rpart regardless of the class of the object.

Side Effects

A semi-graphical layout of the contents of x\$frame is printed. Indentation is used to convey the tree topology. Information for each node includes the node number, split, size, deviance, and fitted value. For the "class" method, the class probabilities are also printed.

See Also

[print](#), [rpart.object](#), [summary.rpart](#), [printcp](#)

Examples

```

z.auto <- rpart(Mileage ~ Weight, car.test.frame)
z.auto
## Not run: node), split, n, deviance, yval
      * denotes terminal node

1) root 60 1354.58300 24.58333
2) Weight>=2567.5 45 361.20000 22.46667
4) Weight>=3087.5 22 61.31818 20.40909 *
5) Weight<3087.5 23 117.65220 24.43478
10) Weight>=2747.5 15 60.40000 23.80000 *
11) Weight<2747.5 8 39.87500 25.62500 *
3) Weight<2567.5 15 186.93330 30.93333 *

## End(Not run)

```

printcp

Displays CP table for Fitted Rpart Object

Description

Displays the cp table for fitted rpart object.

Usage

```
printcp(x, digits=getOption("digits") - 2)
```

Arguments

x	fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.
digits	the number of digits of numbers to print.

Details

Prints a table of optimal prunings based on a complexity parameter.

See Also

[summary.rpart](#), [rpart.object](#)

Examples

```

z.auto <- rpart(Mileage ~ Weight, car.test.frame)
printcp(z.auto)
## Not run:
Regression tree:
rpart(formula = Mileage ~ Weight, data = car.test.frame)

Variables actually used in tree construction:
[1] Weight

Root node error: 1354.6/60 = 22.576

      CP nsplit rel error  xerror   xstd
1 0.595349     0  1.00000 1.03436 0.178526
2 0.134528     1  0.40465 0.60508 0.105217
3 0.012828     2  0.27012 0.45153 0.083330
4 0.010000     3  0.25729 0.44826 0.076998

## End(Not run)

```

prune.rpart

Cost-complexity Pruning of an Rpart Object

Description

Determines a nested sequence of subtrees of the supplied rpart object by recursively snipping off the least important splits, based on the complexity parameter (cp).

Usage

```

prune(tree, ...)

## S3 method for class 'rpart'
prune(tree, cp, ...)

```

Arguments

tree	fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.
cp	Complexity parameter to which the rpart object will be trimmed.
...	further arguments passed to or from other methods.

Value

A new rpart object that is trimmed to the value cp.

See Also[rpart](#)**Examples**

```
z.auto <- rpart(Mileage ~ Weight, car.test.frame)
zp <- prune(z.auto, cp=0.1)
plot(zp) #plot smaller rpart object
```

residuals.rpart	<i>Residuals From a Fitted Rpart Object</i>
-----------------	---

Description

Method for residuals for an rpart object.

Usage

```
## S3 method for class 'rpart'
residuals(object, type = c("usual", "pearson", "deviance"), ...)
```

Arguments

object	fitted model object of class "rpart".
type	Indicates the type of residual desired. For regression or anova trees all three residual definitions reduce to $y - \text{fitted}$. This is the residual returned for user method trees as well. For classification trees the usual residuals are the misclassification losses $L(\text{actual}, \text{predicted})$ where L is the loss matrix. With default losses this residual is 0/1 for correct/incorrect classification. The pearson residual is $(1 - \text{fitted}) / \sqrt{\text{fitted}(1 - \text{fitted})}$ and the deviance residual is $\sqrt{\text{minus twice logarithm of fitted}}$. For poisson and exp (or survival) trees, the usual residual is the observed - expected number of events. The pearson and deviance residuals are as defined in McCullagh and Nelder.
...	further arguments passed to or from other methods.

Value

Vector of residuals of type type from a fitted rpart object.

References

McCullagh P. and Nelder, J. A. (1989) *Generalized Linear Models*. London: Chapman and Hall.

Examples

```
fit <- rpart(skips ~ Opening + Solder + Mask + PadType + Panel,
            data=solder, method='anova')
summary(residuals(fit))
plot(predict(fit),residuals(fit))
```

rpart

*Recursive Partitioning and Regression Trees***Description**

Fit a rpart model

Usage

```
rpart(formula, data, weights, subset, na.action = na.rpart, method,
      model = FALSE, x = FALSE, y = TRUE, parms, control, cost, ...)
```

Arguments

formula	a formula , with a response but no interaction terms.
data	an optional data frame in which to interpret the variables named in the formula.
weights	optional case weights.
subset	optional expression saying that only a subset of the rows of the data should be used in the fit.
na.action	the default action deletes all observations for which y is missing, but keeps those in which one or more predictors are missing.
method	one of "anova", "poisson", "class" or "exp". If method is missing then the routine tries to make an intelligent guess. If y is a survival object, then method="exp" is assumed, if y has 2 columns then method="poisson" is assumed, if y is a factor then method="class" is assumed, otherwise method="anova" is assumed. It is wisest to specify the method directly, especially as more criteria may added to the function in future. Alternatively, method can be a list of functions named init, split and eval. Examples are given in the file 'tests/usersplits.R' in the sources.
model	if logical: keep a copy of the model frame in the result? If the input value for model is a model frame (likely from an earlier call to the rpart function), then this frame is used rather than constructing new data.
x	keep a copy of the x matrix in the result.
y	keep a copy of the dependent variable in the result. If missing and model is supplied this defaults to FALSE.

parms	optional parameters for the splitting function. Anova splitting has no parameters. Poisson splitting has a single parameter, the coefficient of variation of the prior distribution on the rates. The default value is 1. Exponential splitting has the same parameter as Poisson. For classification splitting, the list can contain any of: the vector of prior probabilities (component prior), the loss matrix (component loss) or the splitting index (component split). The priors must be positive and sum to 1. The loss matrix must have zeros on the diagonal and positive off-diagonal elements. The splitting index can be <code>gini</code> or <code>information</code> . The default priors are proportional to the data counts, the losses default to 1, and the split defaults to <code>gini</code> .
control	a list of options that control details of the rpart algorithm. See rpart.control .
cost	a vector of non-negative costs, one for each variable in the model. Defaults to one for all variables. These are scalings to be applied when considering splits, so the improvement on splitting on a variable is divided by its cost in deciding which split to choose.
...	arguments to rpart.control may also be specified in the call to <code>rpart</code> . They are checked against the list of valid arguments.

Details

This differs from the `tree` function in S mainly in its handling of surrogate variables. In most details it follows Breiman et. al. quite closely. R package **tree** provides a re-implementation of `tree`.

Value

An object of class `rpart`. See [rpart.object](#).

References

Breiman, Friedman, Olshen, and Stone. (1984) *Classification and Regression Trees*. Wadsworth.

See Also

[rpart.control](#), [rpart.object](#), [summary.rpart](#), [print.rpart](#)

Examples

```
fit <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis)
fit2 <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis,
             parms=list(prior=c(.65,.35), split='information'))
fit3 <- rpart(Kyphosis ~ Age + Number + Start, data=kyphosis,
             control=rpart.control(cp=.05))
par(mfrow=c(1,2), xpd=NA) # otherwise on some devices the text is clipped
plot(fit)
text(fit, use.n=TRUE)
plot(fit2)
text(fit2, use.n=TRUE)
```

rpart.control *Control for Rpart Models*

Description

Various parameters that control aspects of the rpart fit.

Usage

```
rpart.control(minsplit = 20, minbucket = round(minsplit/3), cp = 0.01,
              maxcompete = 4, maxsurrogate = 5, usesurrogate = 2, xval = 10,
              surrogatestyle = 0, maxdepth = 30, ...)
```

Arguments

minsplit	the minimum number of observations that must exist in a node in order for a split to be attempted.
minbucket	the minimum number of observations in any terminal <leaf> node. If only one of minbucket or minsplit is specified, the code either sets minsplit to minbucket*3 or minbucket to minsplit/3, as appropriate.
cp	complexity parameter. Any split that does not decrease the overall lack of fit by a factor of cp is not attempted. For instance, with anova splitting, this means that the overall Rsquare must increase by cp at each step. The main role of this parameter is to save computing time by pruning off splits that are obviously not worthwhile. Essentially, the user informs the program that any split which does not improve the fit by cp will likely be pruned off by cross-validation, and that hence the program need not pursue it.
maxcompete	the number of competitor splits retained in the output. It is useful to know not just which split was chosen, but which variable came in second, third, etc.
maxsurrogate	the number of surrogate splits retained in the output. If this is set to zero the compute time will be reduced, since approximately half of the computational time (other than setup) is used in the search for surrogate splits.
usesurrogate	how to use surrogates in the splitting process. 0 means display only; an observation with a missing value for the primary split rule is not sent further down the tree. 1 means use surrogates, in order, to split subjects missing the primary variable; if all surrogates are missing the observation is not split. For value 2, if all surrogates are missing, then send the observation in the majority direction. A value of 0 corresponds to the action of tree, and 2 to the recommendations of Breiman et.al.
xval	number of cross-validations.
surrogatestyle	controls the selection of a best surrogate. If set to 0 (default) the program uses the total number of correct classification for a potential surrogate variable, if set to 1 it uses the percent correct, calculated over the non-missing values of the surrogate. The first option more severely penalizes covariates with a large number of missing values.

maxdepth	Set the maximum depth of any node of the final tree, with the root node counted as depth 0. Values greater than 30 rpart will give nonsense results on 32-bit machines.
...	mop up other arguments.

Value

A list containing the options.

See Also

[rpart](#)

rpart.object	<i>Recursive Partitioning and Regression Trees Object</i>
--------------	---

Description

These are objects representing fitted rpart trees.

Value

frame	data frame with one row for each node in the tree. The row.names of frame contain the (unique) node numbers that follow a binary ordering indexed by node depth. Elements of frame include var, a factor giving the variable used in the split at each node (leaf nodes are denoted by the string <leaf>), n, the size of each node, wt, the sum of case weights for the node, dev, the deviance of each node, yval, the fitted value of the response at each node, and splits, a two column matrix of left and right split labels for each node. All of these are the same as for an rpart object. Extra response information is in yval2, which contains the number of events at the node (poisson), or a matrix containing the fitted class, the class counts for each node and the class probabilities (classification). Also included in the frame are complexity, the complexity parameter at which this split will collapse, ncompete, the number of competitor splits retained, and nsurrogate, the number of surrogate splits retained.
where	integer vector, the same length as the number of observations in the root node, containing the row number of frame corresponding to the leaf node that each observation falls into.
splits	a numeric matrix describing the splits. The row label is the name of the split variable, and columns are count, the number of observations sent left or right by the split (for competitor splits this is the number that would have been sent left or right had this split been used, for surrogate splits it is the number missing the primary split variable which were decided using this surrogate), ncat, the number of categories or levels for the variable (+/-1 for a continuous variable), improve, which is the improvement in deviance given by this split, or,

	for surrogates, the concordance of the surrogate with the primary, and <code>split</code> , the numeric split point. The last column <code>adj</code> gives the adjusted concordance for surrogate splits. For a factor, the <code>split</code> column contains the row number of the <code>csplit</code> matrix. For a continuous variable, the sign of <code>ncat</code> determines whether the subset $x < \text{cutpoint}$ or $x > \text{cutpoint}$ is sent to the left.
<code>csplit</code>	this will be present only if one of the split variables is a factor. There is one row for each such split, and column $i = 1$ if this level of the factor goes to the left, 3 if it goes to the right, and 2 if that level is not present at this node of the tree. For an ordered categorical variable all levels are marked as R/L, including levels that are not present.
<code>method</code>	the method used to grow the tree.
<code>cptable</code>	the table of optimal prunings based on a complexity parameter.
<code>terms</code>	an object of mode expression and class <code>term</code> summarizing the formula. Used by various methods, but typically not of direct relevance to users.
<code>call</code>	an image of the call that produced the object, but with the arguments all named and with the actual formula included as the formula argument. To re-evaluate the call, say <code>update(tree)</code> . Optional components include the matrix of predictors (x) and the response variable (y) used to construct the <code>rpart</code> object.

Structure

The following components must be included in a legitimate `rpart` object. Of these, only the where component has the same length as the data used to fit the `rpart` object.

See Also

[rpart](#).

`rpconvert`

Update an rpart object

Description

`Rpart` objects changed (slightly) in their internal format in order to accommodate the changes for user-written split functions. This routine updates an old object to the new format.

Usage

`rpconvert(x)`

Arguments

`x` an `rpart` object

Value

An updated object

See Also

rpart

rsq.rpart

Plots the Approximate R-Square for the Different Splits

Description

Produces 2 plots. The first plots the r-square (apparent and apparent - from cross-validation) versus the number of splits. The second plots the Relative Error(cross-validation) +/- 1-SE from cross-validation versus the number of splits.

Usage

```
rsq.rpart(x)
```

Arguments

x fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.

Side Effects

Two plots are produced.

Note

The labels are only appropriate for the "anova" method.

Examples

```
z.auto <- rpart(Mileage ~ Weight, car.test.frame)
rsq.rpart(z.auto)
```

`snip.rpart`*Snip Subtrees of an Rpart Object*

Description

Creates a "snipped" rpart object, containing the nodes that remain after selected subtrees have been snipped off. The user can snip nodes using the `toss` argument, or interactively by clicking the mouse button on specified nodes within the graphics window.

Usage

```
snip.rpart(x, toss)
```

Arguments

<code>x</code>	fitted model object of class <code>rpart</code> . This is assumed to be the result of some function that produces an object with the same named components as that returned by the <code>rpart</code> function.
<code>toss</code>	an integer vector containing indices (node numbers) of all subtrees to be snipped off. If missing, user selects branches to snip off as described below.

Details

A dendrogram of `rpart` is expected to be visible on the graphics device, and a graphics input device (e.g., a mouse) is required. Clicking (the selection button) on a node displays the node number, sample size, response `y`-value, and Error (`dev`). Clicking a second time on the same node snips that subtree off and visually erases the subtree. This process may be repeated an number of times. Warnings result from selecting the root or leaf nodes. Clicking the exit button will stop the snipping process and return the resulting `rpart` object.

See the documentation for the specific graphics device for details on graphical input techniques.

Value

A `rpart` object containing the nodes that remain after specified or selected subtrees have been snipped off.

Warning

Visually erasing the plot is done by over-plotting with the background colour. This will do nothing if the background is transparent (often true for screen devices).

See Also

[plot.rpart](#)

Examples

```
## dataset not in R
## Not run:
z.survey <- rpart(market.survey) #grow the rpart object
plot(z.survey) #plot the tree
z.survey2 <- snip.rpart(z.survey,toss=2) #trim subtree at node 2
plot(z.survey2) #plot new tree

# can also interactively select the node using the mouse in the
# graphics window

## End(Not run)
```

solder

Soldering of Components on Printed-Circuit Boards

Description

The solder data frame has 720 rows and 6 columns, representing a balanced subset of a designed experiment varying 5 factors on the soldering of components on printed-circuit boards.

Usage

```
solder
```

Format

This data frame contains the following columns:

Opening a factor with levels L M S indicating the amount of clearance around the mounting pad.

Solder a factor with levels Thick Thin giving the thickness of the solder used.

Mask a factor with levels A1 .5 A3 B3 B6 indicating the type and thickness of mask used.

PadType a factor with levels D4 D6 D7 L4 L6 L7 L8 L9 W4 W9 giving the size and geometry of the mounting pad.

Panel 1:3 indicating the panel on a board being tested.

skips a numeric vector giving the number of visible solder skips.

Source

John M. Chambers and Trevor J. Hastie eds. (1992) *Statistical Models in S*, Wadsworth and Brooks/Cole, Pacific Grove, CA 1992.

Examples

```
fit <- rpart(skips ~ Opening + Solder + Mask + PadType + Panel,
            data=solder, method='anova')
summary(residuals(fit))
plot(predict(fit),residuals(fit))
```

`summary.rpart`*Summarize a Fitted Rpart Object*

Description

Returns a detailed listing of a fitted rpart object.

Usage

```
## S3 method for class 'rpart'  
summary(object, cp=0, digits=getOption("digits"), file, ...)
```

Arguments

<code>object</code>	fitted model object of class <code>rpart</code> . This is assumed to be the result of some function that produces an object with the same named components as that returned by the <code>rpart</code> function.
<code>digits</code>	Number of significant digits to be used in the result.
<code>cp</code>	trim nodes with a complexity of less than <code>cp</code> from the listing.
<code>file</code>	write the output to a given file name. (Full listings of a tree are often quite long).
<code>...</code>	arguments to be passed to or from other methods.

Details

This function is a method for the generic function `summary` for class `"rpart"`. It can be invoked by calling `summary` for an object of the appropriate class, or directly by calling `summary.rpart` regardless of the class of the object.

See Also

[summary](#), [rpart.object](#), [printcp](#).

Examples

```
z.auto <- rpart(Mileage ~ Weight, car.test.frame)  
summary(z.auto)
```

text.rpart

*Place Text on a Dendrogram***Description**

Labels the current plot of the tree dendrogram with text.

Usage

```
## S3 method for class 'rpart'
text(x, splits=TRUE, label, FUN=text, all=FALSE,
     pretty=NULL, digits=getOption("digits") - 3, use.n=FALSE,
     fancy=FALSE, fwidth=0.8, fheight=0.8, ...)
```

Arguments

x	fitted model object of class rpart. This is assumed to be the result of some function that produces an object with the same named components as that returned by the rpart function.
splits	logical flag. If TRUE (default), then the splits in the tree are labeled with the criterion for the split.
label	For compatibility with rpart2, ignored in this version (with a warning).
FUN	the name of a labeling function, e.g. text.
all	Logical. If TRUE, all nodes are labeled, otherwise just terminal nodes.
pretty	an integer denoting the extent to which factor levels in split labels will be abbreviated. A value of (0) signifies no abbreviation. A NULL, the default, signifies using elements of letters to represent the different factor levels.
digits	number of significant digits to include in numerical labels.
use.n	Logical. If TRUE, adds to label (\#events level1/ \#events level2/etc. for class, n for anova, and \#events/n for poisson and exp).
fancy	Logical. If TRUE, nodes are represented by ellipses (interior nodes) and rectangles (leaves) and labeled by yval. The edges connecting the nodes are labeled by left and right splits.
fwidth	Relates to option fancy and the width of the ellipses and rectangles. If fwidth < 1 then it is a scaling factor (default = 0.8). If fwidth > 1 then it represents the number of character widths (for current graphical device) to use.
fheight	Relates to option fancy and the height of the ellipses and rectangles. If fheight < 1 then it is a scaling factor (default = 0.8). If fheight > 1 then it represents the number of character heights (for current graphical device) to use.
...	Graphical parameters may also be supplied as arguments to this function (see par). As labels often extend outside the plot region it can be helpful to specify xpd = TRUE.

Side Effects

the current plot of a tree dendrogram is labeled.

See Also

[text](#), [plot.rpart](#), [rpart](#), [post.rpart](#), [abbreviate](#)

Examples

```
freen.tr <- rpart(y ~ ., freeny)
plot(freen.tr)
text(freen.tr, use.n=TRUE, all=TRUE)
```

xpred.rpart

Return Cross-Validated Predictions

Description

Gives the predicted values for an rpart fit, under cross validation, for a set of complexity parameter values.

Usage

```
xpred.rpart(fit, xval=10, cp)
```

Arguments

fit	a rpart object.
xval	number of cross-validation groups. This may also be an explicit list of integers that define the cross-validation groups.
cp	the desired list of complexity values. By default it is taken from the cptable component of the fit.

Details

Complexity penalties are actually ranges, not values. If the cp values found in the table were .36, .28, and .13, for instance, this means that the first row of the table holds for all complexity penalties in the range $[\text{.36}, 1]$, the second row for cp in the range $[\text{.28}, \text{.36})$ and the third row for $[\text{.13}, \text{.28})$. By default, the geometric mean of each interval is used for cross validation.

Value

A matrix with one row for each observation and one column for each complexity value.

See Also

[rpart](#)

Examples

```
fit <- rpart(Mileage ~ Weight, car.test.frame)
xmat <- xpred.rpart(fit)
xerr <- (xmat - car.test.frame$Mileage)^2
apply(xerr, 2, sum) # cross-validated error estimate

# approx same result as rel. error from printcp(fit)
apply(xerr, 2, sum)/var(car.test.frame$Mileage)
printcp(fit)
```

Index

*Topic **datasets**

car.test.frame, 2
cu.summary, 3
kyphosis, 4
solder, 25

*Topic **methods**

rpart.object, 21

*Topic **tree**

labels.rpart, 5
meanvar.rpart, 6
na.rpart, 7
path.rpart, 7
plot.rpart, 9
plotcp, 10
post.rpart, 11
predict.rpart, 12
print.rpart, 14
printcp, 15
prune.rpart, 16
residuals.rpart, 17
rpart, 18
rpart.control, 20
rpart.object, 21
rpconvert, 22
rsq.rpart, 23
snip.rpart, 24
summary.rpart, 26
text.rpart, 27
xpred.rpart, 28

abbreviate, 6, 12, 28

car.test.frame, 2, 4
cu.summary, 2, 3, 3

formula, 18

kyphosis, 4

labels.rpart, 5, 14

meanvar (meanvar.rpart), 6
meanvar.rpart, 6

na.fail, 13
na.omit, 13
na.rpart, 7

path.rpart, 7
plot.rpart, 7, 9, 12, 24, 28
plotcp, 10
post (post.rpart), 11
post.rpart, 11, 28
predict, 13
predict.rpart, 12
print, 14
print.rpart, 14, 19
printcp, 11, 14, 15, 26
prune (prune.rpart), 16
prune.rpart, 16

residuals.rpart, 17
rpart, 8, 10–12, 17, 18, 21, 22, 28
rpart.control, 19, 20
rpart.object, 11, 13–15, 19, 21, 26
rpartcallback (rpart), 18
rpconvert, 22
rsq.rpart, 23

snip.rpart, 24
solder, 25
summary, 26
summary.rpart, 14, 15, 19, 26

text, 28
text.rpart, 10, 12, 27
tree, 13

xpred.rpart, 28